

ROUND EYE SNAP HOOK (PLATED)

Pkg/Qty/Lbs	Stock #	Product Description
E-2500-050	6260-0	A-Eye 3/8", L-Lgth 2", M-Mouth 3/16"
E-1600-064	6261-0	A-Eye 3/8", L-Lgth 2 1/2", M-Mouth 3/16"
E-1000-050	6262-0	A-Eye 1/2", L-Lgth 3", M-Mouth 7/32"
E-1000-060	6263-0	A-Eye 5/8", L-Lgth 3", M-Mouth 5/16"
E-750-068	6264-0	A-Eye 5/8", L-Lgth 3", M-Mouth 3/8"



SQUARE EYE SWIVEL TRIGGER SNAP

Pkg/Qty/Lbs	Stock #
E-300-054	6281-0
E-1000-080	6284-0

Product Description

Square Swivel eye trigger snap hook (plated)
 A-Eye 1", L-Lgth 3 5/8", M-Mouth 5/8"
 A-Eye 3/4", L-Lgth 2 5/8", M-Mouth 3/8"



SQUARE EYE SPRING SNAP HOOK (PLATED)

Pkg/Qty/Lbs	Stock #	Product Description
E-2500-050	6260-0	A-Eye 1/2", L-Lgth 2", M-Mouth 3/16"
E-1500-060	6261-0	A-Eye 5/8", L-Lgth 2 1/2", M-Mouth 7/32"
E-1000-050	6262-0	A-Eye 5/8", L-Lgth 2 3/4", M-Mouth 5/16"
E-1000-060	6263-0	A-Eye 3/4", L-Lgth 2 7/8", M-Mouth 3/8"
E-600-060	6264-0	A-Eye 1", L-Lgth 3 1/8", M-Mouth 7/16"



ROUND EYE SWIVEL TRIGGER SNAP

Pkg/Qty/Lbs	Stock #
E-400-068	6280-0
E-1600-048	6282-0
E-1000-060	6283-0

Product Description

Round Swivel eye trigger snap hook (plated)
 A-Eye 3/4", L-Lgth 3 3/8", M-Mouth 5/8"
 A-Eye 9/16", L-Lgth 2", M-Mouth 3/16"
 A-Eye 5/8", L-Lgth 2 3/8", M-Mouth 3/6"



PLATED SCREW HOOK

Pkg/Qty/Lbs	Stock #	Product Description
E-5000-050	6210-0	OA 2 1/16", THD 5/8" Screw Size: #10
E-2500-050	6211-0	OA 2 9/16", THD 7/8" Screw Size: #8
E-1150-046	6212-0	OA 3 3/8", THD 1 1/8" Screw Size: #6
E-900-054	6213-0	OA 3 7/8", THD 1 1/4" Screw Size: #4
E-600-048	6214-0	OA 4 1/8", THD 1 1/2" Screw Size: #3
E-350-039	6215-0	OA 4 7/16", THD 1 3/8" Screw Size: #2
E-250-035	6216-0	OA 5", THD 1 1/2" Screw Size: #1



ROUND EYE SPRING SNAP HOOK (PLATED)

Pkg/Qty/Lbs	Stock #	Product Description
E-500-060	6270-0	A-Eye 1/2", L-Lgth 3 1/8", M-Mouth 7/16"
E-500-065	6271-0	A-Eye 5/8", L-Lgth 3 1/4", M-Mouth 7/16"
E-500-065	6272-0	A-Eye 3/4", L-Lgth 3 3/8", M-Mouth 7/16"
E-3500-140	6277-0	A-Eye 7/16", L-Lgth 1 7/8", M-Mouth 1/4"



SQUARE EYE SPRING SNAP HOOK

Pkg/Qty/Lbs	Stock #
E-400-052	6273-0
E-1500-060	6276-0

Product Description

Square Spring eye snap hook (plated)
 A-Eye 3/4", L-Lgth 3 3/8", M-Mouth 7/16"
 A-Eye 9/16", L-Lgth 1 3/4", M-Mouth 1/4"



DOUBLE SNAP HOOK (PLATED)

Pkg/Qty/Lbs	Stock #	Product Description
E-750-060	6295-0	A-Eye 3/8", L-Lgth 3 1/2", M-Mouth 3/8"
E-500-055	6296-0	A-Eye 3/8", L-Lgth 4", M-Mouth 7/16"
E-400-060	6297-0	A-Eye 1/2", L-Lgth 4 5/8", M-Mouth 1/2"
E-750-070	6298-0	A-Eye 3/8", L-Lgth 3 1/2", M-Mouth 3/8"
E-500-067	6299-0	A-Eye 3/8", L-Lgth 4", M-Mouth 7/16"
E-400-070	6300-0	A-Eye 1/2", L-Lgth 4 5/8", M-Mouth 1/2"

REGULAR / HEAVY DUTY



DOUBLE ROUND EYE SWIVEL

Pkg/Qty/Lbs	Stock #	Product Description
E-800-048	6287-0	A-Eye 1/2"
E-700-056	6288-0	A-Eye 5/8"
E-700-049	6289-0	A-Eye 3/4"
E-500-050	6290-0	A-Eye 1"

Product Description

Double round eye swivel (plated)



TWIN SQUARE EYE SWIVEL PLATED

Pkg/Qty/Lbs Stock #

E-600-054 **6293-0**

Product Description

A-Eye 1"



PLATED SCREW EYE

Pkg/Qty/Lbs Stock # Product Description

E-1500-045 **6230-0** THD Dia: 1/4", OA 3", Shank 2", THD 1.1/4", Eye ID: 9/16"

E-1400-056 **6231-0** THD Dia: 1/4", OA 3.3/4", Shank 3.1/4", THD 1.1/4", Eye ID: 9/16"

E-1000-050 **6232-0** THD Dia: 1/4", OA 5", Shank 4", THD 2", Eye ID: 9/16"

E-700-049 **6233-0** THD Dia: 5/16", OA 4", Shank 2.5/8", THD 2", Eye ID: 3/4"

E-400-044 **6235-0** THD Dia: 5/16", OA 6", Shank 4.5/8", THD 2", Eye ID: 3/4"

E-060-060 **6236-0** THD Dia: 3/8", OA 3", Shank 2.1/8", THD 2", Eye ID: 1.1/8"

E-450-059 **6237-0** THD Dia: 3/8", OA 4.1/2", Shank 2.5/8", THD 2", Eye ID: 1.1/8"

E-350-056 **6239-0** THD Dia: 3/8", OA 6", Shank 4.1/8", THD 2", Eye ID: 1.1/8"



JAW END SWIVEL

Pkg/Qty/Lbs Stock # Product Description

E-200-050 **6150-0** Siz: 1/4, Working Load: 850 A: 1 1/4", B: 11/16", C: 3/4", K: 15/32, N: 7/8", P: 1/4", R: 2 5/8"

E-350-140 **6151-0** Siz: 5/16, Working Load:1250 A: 1 5/8", B: 13/16", C: 1", K: 1/2, N: 7/8", P: 15/16", R: 2 15/16"

E-050-036 **6152-0** Siz: Size: 3/8, Working Load: 2250 A: 2", B: 15/16", C: 1 1/4", K: 5/8, N: 1.1/16", P: 3/8", R: 3 5/8"

E-050-070 **6153-0** Siz: 1/2, Working Load: 3650 A: 2 1/2", B: 1.5/16", C: 1 1/2", K: 3/4, N: 1 5/16", P: 1/2", R: 4 1/2"



FORGED SWIVEL

Pkg/Qty/Lbs Stock # Product Description

E-300-060 **6140-0** Siz: 1/4, Working Load: 850 A: 1.1/4", B: 11/16", C: 3/4", D: 1.1/16", R: 2 5/16"

E-200-072 **6141-0** Siz: 5/16, Working Load:1250 A: 1.5/8", B: 13/16", C: 1", D: 1.1/4", R: 3 9/16"

E-050-071 **6142-0** Siz: 3/8, Working Load: 2250 A: 2", B: 15/16", C: 1.1/4", D: 1.1/2", R: 4 5/16"

E-050-070 **6143-0** Siz: 1/2, Working Load: 3600 A:2.1/2", B: 1.5/16", C: 1.1/2", D: 2", R: 5 7/16"



WIRE ROPE CLIPS (GALVANIZRD)

Pkg/Qty/Lbs Stock # Product Description

E-1000-060 **6101-0** Siz:1/8", A:7/32", B: 23/32, C: 7/16",D:15/32", E:13/32", G: 13/16", H: 15/16", #2

E-600-060 **6011-0** Siz:3/16", A:1/4", B: 31/32, C: 9/16",D:19/32", E:1/2", G: 15/16", H: 15/32", #2

E-500-090 **6012-0** Siz:1/4", A:5/16", B: 1.1/32, C: 1/2", D:3/4", E:21/32", G: 1 3/16", H: 1.7/16", #2

E-200-058 **6013-0** Siz:5/16", A:3/8", B: 1.3/8, C: 3/4",D:7/8", E:23/32", G: 1 .5/16", H: 1.11/16", #2

E-200-088 **6014-0** Siz:3/8",A:7/16",B: 1.1/2, C: 3/4",D:1", E:29/32", G: 1 5/8", H: 1.15/16", #2

E-100-070 **6015-0** Siz: 7/16",A:1/2",B: 1.7/8,C: 1",D:1.3/16",E:1.1/32", G: 1.13/16", H: 2.9/32",#2

E-100-071 **6016-0** Siz:1/2", A:1/2", B: 1.7/8, C: 1",D:1.3/16", E:1.1/8", G: 2 29/32", H: 2.9/32", #3



WIRE ROPE CLIPS (GALVANIZRD)

Pkg/Qty/Lbs Stock # Product Description

E-1500-045 **6020-0** Siz: 1/8", A:7/32", B: 23/32, C: 7/16", D:15/32", E:13/32", F: 13/16", G: 15/16"

E-1000-060 **6021-0** Siz: 3/16",A:1.1/16", B: 1/2, C: 19/36",D:1/4", E:18/32", F: 21/32", G: 15/16"

E-500-060 **6022-0** Siz: 1/4", A:1.1/4", B: 19/32,C: 23/32", D:5/16", E:21/32", F: 3/4", G: 1.1/4"

E-500-070 **6023-0** Siz: 5/16", A:1 3/8", B: 5/8, C: 3/4", D:5/16", E:23/32", F: 7/8", G: 1.5/16"

E-200-044 **6024-0** Siz: 3/8", A:1 19/32", B: 7/8, C: 7/8", D:3/8", E:25/32", F: 1.1/16", G: 1 5/8"

E-150-054 **6015-0** Siz: 1/2", A:1 29/32", B: 7/8, C: 1", D:15/32", E:1.1/16", F: 1.3/8", G: 2 1/8"



WIRE ROPE THIMBLE

Pkg/Qty/Lbs	Stock #	Product Description
E-1000-030	6030-0	Rope Dia:1/8", A:1.15/16", B: 1.1/16", C: 1.5/16", D:11/16",E:5/32", F: 5/8"
E-1200-036	6031-0	Rope Dia:3/16", A:1.15/16", B: 1.1/16",C: 1.5/16", D:11/16",E:7/32", F: 5/8"
E-1000-030	6032-0	Rope Dia:1/4", A:1.15/16", B: 1.1/16", C: 1.5/16", D:11/16",E:9/32", F: 5/8"
E-600-030	6033-0	Rope Dia:5/16", A:2.1/8", B: 1.1/4", C: 1.1/2", D:13/16",E:3/8", F: 3/4"
E-500-030	6034-0	Rope Dia:3/8", A:2.3/8", B: 1.15/32",C: 1.5/8", D:15/16",E:7/16", F: 7/8"
E-300-033	6035-0	Rope Dia:1/2", A:2.3/4", B: 1.3/4", C: 1.7/8", D:1.1/8",E:6/16", F: 1 1/16"



CLEVIS GRAB HOOK

Pkg/Qty/Lbs	Stock #	Product Description
E-100-042	6040-0	Siz: 1/4, Working Load: 2600B: 0.36, E: 0.40, P: 0.38, R: 1.97, WT lbs: 0.40
E-050-039	6041-0	Siz: 5/16 Working Load: 3900 B: 0.40, E: 0.44, P: 0.44, R: 2.26, WT lbs: 0.79
E-050-053	6042-0	Siz: 3/8, Working Load: 5400 B: 0.48, E: 0.50, P: 0.47, R: 2.63, WT lbs: 1.0
E-040-060	6043-0	Siz: 7/16, Working Load: 7200 B: 0.66, E: 0.56, P: 0.56, R: 2.75, WT lbs: 1.5
E-025-059	6043-0	Siz: 1/2, Working Load: 9200 B: 0.75, E: 0.66, P: 0.63, R: 3.19, WT lbs: 2.1



EYE GRAB HOOK

Pkg/Qty/Lbs	Stock #	Product Description
E-150-044	6060-0	Siz: 1/4, Working Load: 2600 B: 0.50, E: 0.34, R: 1.97, WT lbs: 0.28
E-100-052	6061-0	Siz: 5/16, Working Load: 3900 B: 0.56, E: 0.44, R: 2.25, WT lbs: 0.45
E-050-047	6062-0	Siz: 3/8, Working Load: 5400 B: 0.66, E: 0.50, R: 2.56, WT lbs: 0.79
E-050-065	6063-0	Siz: 7/16, Working Load: 7200 B: 0.75, E: 0.56, R: 2.94, WT lbs: 1.19
E-030-059	6064-0	Siz: 1/2, Working Load: 9200 B: 0.88, E: 0.66, R: 3.38, WT lbs: 1.8



EYE SLIP HOOK

Pkg/Qty/Lbs	Stock #	Product Description
E-200-088	6070-0	Siz: 1/4, Working Load: 2750 WT lbs., 0.52 B: 0.44, E: 0.79, P: 0.38, R: 2.56, T: 0.79
E-100-061	6071-0	Siz: 5/16, Working Load: 4300 WT lbs., 0.77 B: 0.50, E: 0.93, P: 0.44, R: 2.87, T: 0.79
E-050-049	6072-0	Siz: 3/8, Working Load: 5250 WT lbs., 1.23 B: 0.59, E: 1.14, P: 0.47, R: 3.25, T: 1.02
E-030-048	6073-0	Siz: 7/16, Working Load: 7000 WT lbs., 2.1 B: 0.66, E: 1.18, P: 0.56, R: 3.70, T: 1.06
E-030-069	6074-0	Siz: 1/2, Working Load: 9000 WT lbs., 2.85 B: 0.75, E: 1.42, P: 0.63, R: 4.0, T: 1.38



CLEVIS CLIP HOOK

Pkg/Qty/Lbs	Stock #	Product Description
E-100-068	6050-0	Siz: 1/4, Working Load: 1950 B: 0.44, E: 0.94, P: 0.38, R: 2.56, WT lbs: 0.50
E-050-042	6051-0	Siz: 5/16 Working Load: 2875 B: 0.50, E: 1.06, P: 0.44, R: 2.87, WT lbs: 0.75
E-050-065	6052-0	Siz: 3/8, Working Load: 4000 B: 0.59, E: 1.31, P: 0.47, R: 3.25, WT lbs: 1.20
E-025-054	6053-0	Siz: 7/16, Working Load: 5000 B: 0.66, E: 1.56, P: 0.56, R: 3.70, WT lbs: 2.06
E-020-055	6053-0	Siz: 1/2, Working Load: 6500 B: 0.76, E: 1.69, P: 0.63, R: 4.0, WT lbs: 2.8



CLEVIS SLIP HOOK WITH LATCH

Pkg/Qty/Lbs	Stock #	Product Description
E-100-057	6080-0	Siz: 1/4, Working Load: 1950 B: 0.44, E: 0.94, P: 0.38, R: 2.56, WT lbs: 0.50
E-050-044	6081-0	Siz: 5/16, Working Load: 2875 B: 0.50, E: 1.06, P: 0.44, R: 2.876, WT lbs: 0.75
E-050-065	6082-0	Siz: 3/8, Working Load: 4000 B: 0.59, E: 1.31, P: 0.47, R: 3.25, WT lbs: 1.20
E-025-064	6083-0	Siz: 7/16, Working Load: 5000 B: 0.66, E: 1.56, P: 0.56, R: 3.70, WT lbs: 2.06
E-020-057	6084-0	Siz: 1/2, Working Load: 6500 B: 0.76, E: 1.69, P: 0.63, R: 4.0, WT lbs: 2.8



HOOK & EYE TURNBUCKLE (DIE CAST BODY)

Pkg/Qty/Lbs	Stock #	Product Description
E-800-048	6310-0	Siz: 3/16" L1: 2.3/16" L2: 1.3/4", B: 5/16" M: 9/3"
E-350-056	6311-0	Siz: 1/4" L1: 3.1/8" L2: 2.1/32", B: 13/32" M: 11/32"
E-200-056	6312-0	Siz: 5/16" L1: 3.11/16" L2: 2.3/8", B: 15/32" M: 7/16"
E-140-056	6313-0	Siz: 3/8" L1: 4.1/16" L2: 2.3/4", B: 9/16" M: 1/2"



HOOK & EYE TURNBUCKLE (FORGE STEEL BODY)

Pkg/Qty/Lbs	Stock #	Product Description
E-800-048	6320-0	Siz: 1/4" Working Load: 400, L1: 4" Length: 8.1/4" WT: 0.30
E-100-050	6321-0	Siz: 5/16" Working Load: 700 L1: 4.1/2" Length: 9.9/16" WT: 0.50
E-050-041	6322-0	Siz: 3/8" Working Load: 1,000 L1: 6" Length: 11.7/8" WT: 0.75
E-030-048	6323-0	Siz: 1/2" Working Load: 1,500 L1: 6" Length: 13.5/16" WT: 1.5
E-025-051	6324-0	Siz: 1/2" Working Load: 1,500 L1: 9" Length: 16.5/16" WT: 1.75
E-025-059	6325-0	Siz: 1/2" Working Load: 1,500 L1: 12" Length: 19.5/16" WT: 2.18
E-020-053	6326-0	Siz: 5/8" Working Load: 22,500 L1: 6" Length: 15.1/2" WT: 2.63
E-015-045	6327-0	3/4" Working Load: 3,000, L1: 6" Length: 17" WT: 3.75



QUICK LINK

Pkg/Qty/Lbs	Stock #	Product Description
E-1200-60	6120-0	Rope Dia: 3/16", B1: 13/32", B2: 3/16", H1: 1.1/8"
E-800-064	6121-0	Rope Dia: 1/4", B1: 9/16", B2: 1/4", H1: 1.1/2"
E-450-077	6122-0	Rope Dia: 5/16", B1: 9/16", B2: 9/32", H1: 1.3/4"
E-300-072	6123-0	Rope Dia: 3/8", B1: 1.5/8", B2: 5/16", H1: 2.1/16"
E-200-066	6124-0	Rope Dia: 7/16", B1: 25/32", B2: 1.5/32", H1: 2.11/16"
E-120-064	6125-0	Rope Dia: 1/2", B1: 31/32", B2: 19/32", H1: 3.1/4"



COLD SHUT

Pkg/Qty/Lbs	Stock #	Product Description
E-2000-40	6090-0	Rope Dia: 3/16", Inside Width: 11/32", Inside Length: 12/16" Wt lbs. 0.03
E-2000-100	6091-0	Rope Dia: 1/4", Inside Width: 3/8", Inside Length: 1.3/16" Wt lbs. 0.06
E-500-040	6092-0	Rope Dia: 5/16", Inside Width: 7/16", Inside Length: 1.3/8" Wt lbs. 0.1
E-500-042	6093-0	Rope Dia: 3/8", Inside Width: 5/8", Inside Length: 1.1/2" Wt lbs. 0.18
E-400-090	6094-0	Rope Dia: 7/16" Inside Width: 11/16", Inside Length: 1.9/16" Wt lbs. 0.26
E-200-057	6095-0	Rope Dia: 1/2", Inside Width: 3/4", Inside Length: 1.7/8" Wt lbs. 0.38



SCREW PIN SHACKLE

Pkg/Qty/Lbs	Stock #	Product Description
E-500-025	6160-0	Siz: 3/16, Working Load: 666 L; 7/8", WP: 3/8", WB: 11/16", DP: 1/4", DE: 9/16"
E-500-055	6161-0	Siz: 1/4, Working Load: 1000 L; 1.1/8", WP: 1/2", WB: 25/32", DP: 5/16", DE: 11/16"
E-400-084	6162-0	Siz: 5/16, Working Load: 1500 L; 17/32" WP: 17/32", WB: 27/32", DP: 3/8", DE: 13/16"
E-200-058	6163-0	Siz: 3/8, Working Load: 2000 L; 1.7/16", WP: 21/32", WB: 1.1/32", DP: 7/16", DE: 31/32"
E-150-062	6164-0	Siz: 7/16, Working Load: 3000 L; 1.11/16", WP: 23/32", WB: 1.5/32", DP: 1/2", DE: 1.1/16"
E-100-082	6165-0	Siz: 1/2, Working Load: 4000 L; 1.7/8", WP: 13/16", WB: 1.5/16", DP: 5/8", DE: 1.3/16"



CLEVIS PIN SHACKLE

Pkg/Qty/Lbs	Stock #	Product Description
E-500-030	6170-0	Siz: 3/16, Working Load: 666 L; 7/8, WP: 3/8, WB: 11/16, DP: 1/4", DE: 9/16"
E-500-055	6171-0	Siz: 1/4, Working Load: 1000 L; 1.1/8, WP: 1/2, WB: 25/32, DP: 5/16", DE: 11/16"
E-300-063	6172-0	Siz: 5/16, Working Load: 1500 L; 17/32, WP: 17/32, WB: 27/32, DP: 3/8", DE: 13/16"
E-200-060	6173-0	Siz: 3/8, Working Load: 2000 L; 15/32, WP: 21/32, WB: 1.1/32, DP: 7/16", DE: 31/32"
E-150-062	6174-0	Siz: 7/16, Working Load: 3000 L; 23/32, WP: 23/32, WB: 1.5/32, DP: 1/2", DE: 1.1/16"
E-100-082	6175-0	Siz: 1/2, Working Load: 4000 L; 13/16, WP: 13/16, WB: 1.5/16, DP: 5/8", DE: 1.3/16"



PLATED U-BOLTS (LONG)

Pkg/Qty/Lbs	Stock #	Product Description
E-300-060	6200-0	Pipe Size: 1", THD Length: 2", THD Dia: 5/16", BTW Legs: 3.3/8", Inside Length: 3.5/8"
E-300-066	6201-0	Pipe Size: 1.1/4", THD Length: 2.1/2", THD Dia: 5/16", BTW Legs: 1.3/4", Inside Length: 4.1/8"
E-300-060	6202-0	Pipe Size: 1.1/2", THD Length: 2", THD Dia: 5/16", BTW Legs: 2", Inside Length: 3.5/8"
E-250-060	6203-0	Pipe Size: 1.1/2", THD Length: 2.1/2", THD Dia: 5/16", BTW Legs: 2", Inside Length: 4.5/8"
E-280-062	6204-0	Pipe Size: 2", THD Length: 2.1/2", THD Dia: 5/16", BTW Legs: 2.1/2", Inside Length: 4.1/8"
E-250-068	6205-0	Pipe Size: 2", THD Length: 2.1/2", THD Dia: 5/16", BTW Legs: 2.1/2", Inside Length: 5.1/8"



PLATED U-BOLTS (REGULAR)

Pkg/Qty/Lbs	Stock #	Product Description
E-1000-50	6180-0	Pipe Siz: 1/4", THD Length: 3/4", THD Dia: 1/4" BTW Legs: 9/16", Inside Length: 1.3/8"
E-800-056	6182-0	Pipe Siz: 1/2", THD Length: 7/8", THD Dia: 1/4" BTW Legs: 1", Inside Length: 1.3/4"
E-800-064	6183-0	Pipe Siz: 3/4", THD Length: 1.1/8", THD Dia: 1/4" BTW Legs: 1.1/8", Inside Length: 2"
E-600-060	6184-0	Pipe Siz: 1", THD Length: 1.1/8", THD Dia: 1/4" BTW Legs: 1.1/2", Inside Length: 2.3/4"
E-400-052	6185-0	Pipe Siz: 1.1/2", THD Length: 1.5/8", THD Dia: 1/4" BTW Legs: 2", Inside Length: 3.1/2"
E-350-053	6186-0	Pipe Siz: 1", THD Length: 1.1/4", THD Dia: 5/16" BTW Legs: 1.1/2", Inside Length: 2.1/2"
E-350-060	6187-0	Pipe Siz: 1.1/4", THD Length: 1.3/8", THD Dia: 5/16" BTW Legs: 1.3/4", Inside Length: 3"
E-330-056	6188-0	Pipe Siz: 1.1/2", THD Length: 1.3/8", THD Dia: 5/16" BTW Legs: 2", Inside Length: 3"
E-300-063	6189-0	Pipe Siz: 2", THD Length: 1.3/8", THD Dia: 5/16" BTW Legs: 2.1/2", Inside Length: 3.1/2"
E-125-036	6193-0	Pipe Siz: 2", THD Length: 1.1/4", THD Dia: 3/8" BTW Legs: 2.1/2", Inside Length: 3.1/2"
E-600-060	6194-0	Pipe Siz: 2.1/2", THD Length: 1.1/4", THD Dia: 3/8" BTW Legs: 3", Inside Length: 4"
E-450-059	6195-0	Pipe Siz: 3", THD Length: 1.1/4", THD Dia: 3/8" BTW Legs: 3.1/2", Inside Length: 4.1/2"




REPAIR LINK

Pkg/Qty/Lbs	Stock #	Product Description
E-1000-032	6110-0	Rope Dia: 3/16", D2: 3/8", H1: 15/16", M:1/4"
E-500-035	6111-0	Rope Dia: 1/4", D2: 13/32", H1: 1.1/8", M:9/32"
E-300-039	6112-0	Rope Dia: 5/16", D2: 5/8", H1: 1.7/16", M:3/8"
E-200-044	6113-0	Rope Dia: 3/8", D2: 21/32", H1: 1.15/16", M:3/8"
E-200-082	6114-0	Rope Dia: 7/16", D2: 11/16", H1: 1.15/32", M:3/8"



TWIN CLEVIS

Pkg/Qty/Lbs	Stock #	Product Description
E-800-048	6130-0	Siz: 1/4-5/16, Working Load: 4700, A: 0.47, R: 1.18, D: 0.38, G: 0.43, wt lbs: 0.32
E-350-056	6131-0	Siz: 3/8, Working Load: 6600, A: 0.53, R: 1.34, D: 0.47, G: 0.48, wt lbs: 0.44
E-200-056	6132-0	Siz: 1/4-5/16, Working Load: 11250, A: 0.65, R: 1.75, D: 0.38, G: 0.63, wt lbs: 1.0



PLATED SCREW EYE

Pkg/Qty/Lbs	Stock #	Product Description
E-1500-45	6230-0	THD Dia: 1/4", O.A. Length: 3", Shank Length: 2", THD Length: 1.1/4", Eye ID: 9/16"
E-1400-56	6231-0	THD Dia: 1/4", O.A. Length: 3.3/4", Shank Length: 3.1/4", THD Length: 1.1/4", Eye ID: 9/16"
E-1000-50	6232-0	THD Dia: 1/4", O.A. Length: 5", Shank Length: 4", THD Length: 2", Eye ID: 9/16"
E-700-049	6233-0	THD Dia: 5/16", O.A. Length: 4", Shank Length: 2.5/8", THD Length: 2", Eye ID: 3/4"
E-400-044	6235-0	THD Dia: 5/16", O.A. Length: 6", Shank Length: 4.5/8", THD Length: 2", Eye ID: 3/4"
E-600-060	6236-0	THD Dia: 3/8", O.A. Length: 3", Shank Length: 2.1/8", THD Length: 2", Eye ID: 1.1/8"
E-450-059	6237-0	THD Dia: 3/8", O.A. Length: 4.1/2", Shank Length: 2.5/8", THD Length: 2", Eye ID: 1.1/8"
E-350-056	6239-0	THD Dia: 3/8", O.A. Length: 6", Shank Length: 4.1/8", THD Length: 2", Eye ID: 1.1/8"



EYE BOLT WITH NUT

Pkg/Qty/Lbs	Stock #	Product Description
E-4000-80	6240-0	THD Dia: 3/16", O.A. Length: 1.1/2", Shank Length: 1", THD Length: 7/8", Eye ID: 5/16"
E-3000-60	6241-0	THD Dia: 3/16", O.A. Length: 2", Shank Length: 1.5/16", THD Length: 1.1/4", Eye ID: 5/16"
E-2500-50	6242-0	THD Dia: 3/16", O.A. Length: 32", Shank Length: 2.1/4", THD Length: 2", Eye ID: 1/2"
E-1500-60	6243-0	THD Dia: 1/4", O.A. Length: 2", Shank Length: 1.1/4", THD Length: 1", Eye ID: 3/8"
E-1300-65	6244-0	THD Dia: 1/4", O.A. Length: 3", Shank Length: 2.1/4", THD Length: 2", Eye ID: 3/8"
E-1000-60	6245-0	THD Dia: 1.4", O.A. Length: 4", Shank Length: 3", THD Length: 2", Eye ID: 9/16"
E-800-056	6246-0	THD Dia: 1/4", O.A. Length: 5", Shank Length: 4", THD Length: 2.7/8", Eye ID: 9/16"
E-800-064	6247-0	THD Dia: 1/4", O.A. Length: 6", Shank Length: 5", THD Length: 2.7/8", Eye ID: 9/16"
E-600-054	6248-0	THD Dia: 5/16", O.A. Length: 3", Shank Length: 2.1/4", THD Length: 1.7/8", Eye ID: 1/2"
E-600-066	6249-0	THD Dia: 5/16", O.A. Length: 4", Shank Length: 2.5/8", THD Length: 2", Eye ID: 3/4"
E-500-060	6250-0	THD Dia: 5/16", O.A. Length: 5", Shank Length: 3.5/8", THD Length: 2.7/8", Eye ID: 3/4"
E-400-056	6251-0	THD Dia: 5/16", O.A. Length: 6", Shank Length: 4.5/8", THD Length: 2.7/8", Eye ID: 3/4"
E-100-017	6252-0	THD Dia: 3/8", O.A. Length: 4", Shank Length: 2.1/2", THD Length: 2.1/8", Eye ID: 5/8"
E-100-020	6253-0	THD Dia: 3/8", O.A. Length: 5", Shank Length: 3.1/4", THD Length: 2.7/8", Eye ID: 1"
E-100-022	6254-0	THD Dia: 3/8", O.A. Length: 6", Shank Length: 4.1/4", THD Length: 3.7/8", Eye ID: 1"
E-200-054	6255-0	THD Dia: 3/8", O.A. Length: 8", Shank Length: 6.1/4", THD Length: 3.7/8", Eye ID: 1"
E-120-053	6257-0	THD Dia: 1/2", O.A. Length: 6", Shank Length: 4", THD Length: 3.7/8", Eye ID: 1.1/4"
E-120-065	6258-0	THD Dia: 1/2", O.A. Length: 8", Shank Length: 5.3/4", THD Length: 3.7/8", Eye ID: 1.1/4"

